

The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
William A. Hinton State Laboratory Institute
305 South Street, Jamaica Plain, MA 02130
617-983-6622

DEVAL L. PATRICK
GOVERNOR

TIMOTHY P. MURRAY
LIEUTENANT GOVERNOR

JUDYANN BIGBY, MD
SECRETARY

JOHN AUERBACH
COMMISSIONER

08/08/11

Katherine Powell
Assistant District Attorney, Suffolk County

Dear ADA Powell,

Enclosed are copies of the information you requested regarding sample number
[REDACTED] in the following:

1. Drug Analysis Laboratory Receipt.
2. Curriculum Vitae for Daniela Frasca and Annie Khan (Dookhan).
3. Control Card with Analytical Results for sample number [REDACTED]
4. Analysis Notation Form for the above sample number.
5. GC-MS Raw Data Sheets for the above sample number.

GC-MS confirmatory testing was performed by Annie Khan (Dookhan). All other testing was performed by Daniela Frasca. If you have any questions or concerns about these facts, please contact me at the number below.

Sincerely,

A handwritten signature in black ink, appearing to read "Daniela Frasca".

Daniela Frasca
Chemist II
Drug Laboratory
617 983-6631
fax: 617 983-6625

Curriculum Vitae

Daniela Frasca

Education

Boston University School of Medicine, Boston MA
Currently enrolled in the Biomedical Forensic Science MS Program

Suffolk University, Boston, MA
Graduated in 05/1996 and received a Bachelor of Science in Biochemistry

EXPERIENCE

Massachusetts State Laboratory Institute/DPH, Jamaica Plain, MA 01/2001 - present
Drug Laboratory: *Chemist II*

- Analysis of all substances by chemical screening, microscopy, and instrument confirmation to determine the presence of drugs for law enforcement agencies in the Commonwealth of Massachusetts.
- Appointed assistant analyst on January 29, 2001 by the Assistant Commissioner of DPH
- Completed four weeks of training in drug analysis under the supervision of senior chemists.

Quest Diagnostics Incorporated, Cambridge, MA 09/1996 – 10/2001

Department of Toxicology: Medical Technologist I

- Handles comprehensive toxic analysis, therapeutic drug monitoring, forensic drug screening, and compound ID's of biohazard samples utilizing standard operating procedures in clinical toxicology.
- Entered data and interpreted results for reporting
- QC/QA of multiple analytical instrumentation as well as maintenance
- Completed 60 days of training under the supervision of doctorate level toxicologists.

Additional Training

Northeastern Association of Forensic Scientists

Designer Drugs Clandestine labs

Agilent Instruments and Software Digital Photography

McCrone Research Institute

Forensic Polarized Microscopy

Polarized Microscopy of Illicit Drugs and Excipients

Massachusetts State Laboratory Institute

Expert Witness

Raman Spectroscopy

Associations and Programs

- Northeastern Association of Forensic Scientists (NEAFS) 2001 - present
- The International Association of Forensic Toxicologists (TIAFT) 2003 - present
- The International Association of Therapeutic Drug Monitoring And Clinical Toxicology (IATDMCT) 2003 - present
- Massachusetts State Science Fair Judge 2000 - present
- Middle School State Science Fair Judge 2006 - present
- Volunteer Science Project Mentor/Tutor 2003 - present
for the TTT Mentor Program

Curriculum Vitae

Annie Khan (Dookhan)

Education:

University of Massachusetts, Boston, Ma, Master of Science in Chemistry.

University of Massachusetts, Boston, Ma, Bachelor of Science in Biochemistry.

Experience:

2003 – present

Chemist I, II, Massachusetts Department of Public Health, Drug Analysis Laboratory

*Completed six-week training course conducted by senior staff within the Department of Public Health, Drug Analysis Laboratory.

*Appointed Assistant Analyst by Assistant Commissioner of Public Health, 2004.

*Responsible for the identification of illicit drugs to determine violations of harmful and narcotic drug laws.

*Trained in the use of complex analytical instrumentation, microscopes and balances for the purpose of drug analysis.

*Maintenance and repairs of all analytical instruments.

*Responsible for the Quality Control of all analytical instruments, reagents and controls/standards.

* Responsible for the Quality Control/Quality Assurance program for the drug lab.

*Notary Public.

*Qualified as an expert witness in Massachusetts Courts and U.S. District Court

2001 – 2003

QC Analyst I, II, UMMS-Massachusetts Biologic Laboratory, QC Material Control

*Completed proficiency training conducted by a member of the staff within the MLB Quality Control and Quality Assurance Department.

*Method Development for creating new techniques and enhancing vaccines for the QC Dept. and FDA.

*Writing, revising and reviewing Standard Operating Procedures (SOPs).

*Trained and supervised new chemists and interns for the department.

*Routine QC testing of products for the FDA.

*Trained in the use of complex analytical instrumentation, and balances for the purpose of QC analysis for product and validation projects.

*Calibration, preventive maintenance, QC and QA of analytical instrumentation.

*Complete testing of chemicals for Vendor Validation Project for the FDA.

*Compendial testing and interpretation of the USP, ACS, FCC, AOAC, Merck Index, PDR, etc.

Additional Training:

Dept. of Justice – Forensics Professionals. (numerous trainings)

GLP/GMP course with Massachusetts Biologic Laboratory.

QC/QA training according to FDA Codes and Regulations.

GC and GC/MS courses with Agilent Technologies and Restek.

HPLC course with Waters Cooperation.

FTIR course with Spectros.

TOC training with MBL and Sievers.

Association:

American Chemical Society (ACS)

Northeastern Association of Forensics Science (NEAFS)

No. [REDACTED] Date Analyzed: 12-22-10

City: Boston D.C.U. Police Dept. Suffolk Co Sheriff Dept.

Officer: P.O. Diana Lopez Paul P. Vazzella/14

Def: [REDACTED]

Amount: Subst: SUB

No. Cont: 1 Cont: pipe paper fold

Date Rec'd: 09/16/2010

No. Analyzed:

Gross Wt.: 12.62

Net Weight: 0.08g

Tests: 7

2025

Prelim: Cocaine

Findings: cocaine

DRUG POWDER ANALYSIS FORM

SAMPLE #

AGENCY Suffolk Co Sheriff ANALYST EWB

PHYSICAL DESCRIPTION:

a glass tube pipe Ev. Meck

Substance in 1 paper fold (brown paper
towel).

Mag -

Gross Wt (including
Substance in pipe
burnt open end):

Prod -

0.3054g

Meck -

Cobalt J + Wood

Net Wt (including
Substance in pipe
burnt open end):

Gold +

TLTA J + Wood

0.0891g

PRELIMINARY TEST RESULTS

RESULTS Cocaine

DATE 12/17/10

GC/MS CONFIRMATORY TEST

RESULTS Cocaine


MS OPERATOR PGD

DATE 12/22/10

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762004.D
Operator : ASD
Date Acquired : 21 Dec 2010 9:10
Sample Name : BLANK
Submitted by :
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE

✓ 260
08.5-11




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762005.D
Operator : ASD
Date Acquired : 21 Dec 2010 9:23
Sample Name : COCAINE STD
Submitted by :
Vial Number : 5
AcquisitionMeth: DRUGS.M
Integrator : RTE





Ret. Time	Area	Area %	Ratio %
4.712	1569906	100.00	100.00

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762005.D
Operator : ASD
Date Acquired : 21 Dec 2010 9:23
Sample Name : COCAINE STD
Submitted by :
Vial Number : 5
AcquisitionMeth: DRUGS.M
Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST05a.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	4.71	C:\Database\SLI.L COCAINE	000050-36-2	99



Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762006.D
Operator : ASD
Date Acquired : 21 Dec 2010 9:36
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762021.D
Operator : ASD
Date Acquired : 21 Dec 2010 12:45
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762022.D
Operator : ASD
Date Acquired : 21 Dec 2010 12:58
Sample Name : XXXXXXXXXX
Submitted by : DXF
Vial Number : 22
AcquisitionMeth: DRUGS.M
Integrator : RTE





Ret. Time	Area	Area %	Ratio %
2.133	391381	3.10	3.85
2.345	400365	3.17	3.93
3.891	1646763	13.06	16.18
4.723	10175338	80.67	100.00

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762022.D
Operator : ASD
Date Acquired : 21 Dec 2010 12:58
Sample Name : XXXXXXXXXX
Submitted by : DXF
Vial Number : 22
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST05a.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	2.13	C:\Database\NIST05a.L		
		Ecgonidine, methyl ester	127379-24-2	98
		2-Carbomethoxy-8-methyl-8-azabicycl	043021-26-7	95
		2-Methyl-6-nitroaniline	000570-24-1	38





Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762022.D
 Operator : ASD
 Date Acquired : 21 Dec 2010 12:58
 Sample Name : XXXXXXXXXX
 Submitted by : DXF
 Vial Number : 22
 AcquisitionMeth: DRUGS.M
 Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST05a.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
2	2.35	C:\Database\NIST05a.L		
		Ecgonine methyl ester	106293-60-1	98
		Ecgonine methyl ester	106293-60-1	96
		Ecgonine methyl ester	106293-60-1	96





Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762022.D
Operator : ASD
Date Acquired : 21 Dec 2010 12:58
Sample Name : XXXXXXXXXX
Submitted by : DXF
Vial Number : 22
AcquisitionMeth: DRUGS.M
Integrator : RTE

Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST05a.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
3	3.89	C:\Database\NIST05a.L		
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	97
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	014769-73-4	97
		Imidazo[2,1-b]thiazole, 2,3,5,6-tet	006649-23-6	97





Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762022.D
 Operator : ASD
 Date Acquired : 21 Dec 2010 12:58
 Sample Name : XXXXXXXXXX
 Submitted by : DXF
 Vial Number : 22
 AcquisitionMeth: DRUGS.M
 Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80
 C:\Database\NIST05a.L Minimum Quality: 80
 C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
4	4.72	C:\Database\SLI.L COCAINE	000050-36-2	99



Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762023.D
Operator : ASD
Date Acquired : 21 Dec 2010 13:10
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762028.D
Operator : ASD
Date Acquired : 21 Dec 2010 14:13
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE




Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762029.D
Operator : ASD
Date Acquired : 21 Dec 2010 14:26
Sample Name : COCAINE STD
Submitted by : DXF
Vial Number : 29
AcquisitionMeth: DRUGS.M
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
4.712	1717650	100.00	100.00



Area Percent / Library Search Report

Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762029.D
Operator : ASD
Date Acquired : 21 Dec 2010 14:26
Sample Name : COCAINE STD
Submitted by : DXF
Vial Number : 29
AcquisitionMeth: DRUGS.M
Integrator : RTE


Search Libraries: C:\Database\SLI.L Minimum Quality: 80
C:\Database\NIST05a.L Minimum Quality: 80
C:\Database\PMW_TOX2.L

PK#	RT	Library/ID	CAS#	Qual
1	4.71	C:\Database\SLI.L COCAINE	000050-36-2	99



Information from Data File:

File Name : F:\Q4-2010\SYSTEM7\12_21_10\762030.D
Operator : ASD
Date Acquired : 21 Dec 2010 14:39
Sample Name : BLANK
Submitted by : DXF
Vial Number : 1
AcquisitionMeth: DRUGS.M
Integrator : RTE



Ret. Time	Area	Area %	Ratio %
-----------	------	--------	---------

NO INTEGRATED PEAKS